

# GNC-100

## GaN Charger 100W

2x USB-C PD 100W, 1x USB-C PD 65W, 1x USB-A QC 3.0



Supports: PPS, PD 3.1, QC 3.0



Charge up to 4 devices



Multi-plug included



Eco friendly packaging

## Charge fast, Charge more

Verbatim's 100W GaN Wall Charger consolidates multiple chargers into one, combining two USB-C PD 100W ports, one USB-C PD 65W port and one USB-A QC 3.0 port in a sleek, palm sized design. Ideal for the office, home or travelling to power your laptop, tablet, smartphone, gaming devices, and more. With its foldable US prongs and replaceable EU and UK plugs, it's the ultimate travel companion.

Gallium Nitride (GaN) technology delivers high-powered, fast, efficient charging, generates less heat and allow to have smaller and lighter chargers, making them ultra-portable and ideal for travel.

The GNC-100 charger is made with high-quality, flame-resistant materials and features four safety protection systems to ensure your safety while charging.

# GNC-100

## GaN Charger 100W

2x USB-C PD 100W, 1x USB-C PD 65W, 1x USB-A QC 3.0

| General Information        |  |               |                 |              |
|----------------------------|--|---------------|-----------------|--------------|
| Material                   | PC fireproof   |               |                 |              |
| Colour                     | Black/Grey   |               |                 |              |
| Input Plug Formats         | US (Type A) / EU (Type C) / UK (Type G)                                  |               |                 |              |
| Supported devices          | iPhone, iPad, Smartphones, Tablet PCs, MP3/MP4 players, etc.             |               |                 |              |
| Power                      |  |               |                 |              |
| Input                      | 100-240 V AC 50/60Hz 1.5 A (Max)   |               |                 |              |
| Total Output               | 100W Max   |               |                 |              |
| Single Port Output         |  |               |                 |              |
| USB-C1 PD 3.0              | 3.3-21V=5A or 5V=3A or 9V=3A or 12V=3A or 15V=3A or 20V=5A (100W max.)   |               |                 |              |
| USB-C2 PD 3.0              | 3.3-21V=5A or 5V=3A or 9V=3A or 12V=3A or 15V=3A or 20V=5A (100W max.)   |               |                 |              |
| USB-C3 PD 3.0              | 3.3-11V=3A or 5V=3A or 9V=3A or 12V=3A or 15V=3A or 20V=3.25A (65W max.) |               |                 |              |
| USB-A QC 3.0               | 4.5V=5A, 5V=4.5A, 5V=3A, 9V=3A, 12V=2.5A, 20V=1.5A (30W Max)             |               |                 |              |
| Multiport Output           | USB-C1 PD 3.0  | USB-C2 PD 3.0 | USB-C3 PD 3.0   | USB-A QC 3.0 |
| USB-C1+USB-C2              | Max 65W  | Max 35W       | -               | -            |
| USB-C1+USB-C3              | Max 65W  | -             | Max 35W         | -            |
| USB-C1+USB-A               | Max 65W  | -             | -               | Max 30W      |
| USB-C2+USB-C3              | -  | Max 65W       | Max 35W         | -            |
| USB-C2+USB-A               | -  | Max 65W       | -               | Max 30W      |
| USB-C3+USB-A               | -  | -             | Max 15W (5V=3A) | -            |
| USB-C1+USB-C2+USB-C3       | Max 45W  | Max 35W       | Max 20W         | -            |
| USB-C1+USB-C2+USB-A        | Max 45W  | Max 35W       | -               | Max 18W      |
| USB-C1+USB-C3+USB-A        | Max 65W  | -             | Max 15W (5V=3A) | -            |
| USB-C2+USB-C3+USB-A        | -  | Max 65W       | Max 15W (5V=3A) | -            |
| USB-C1+USB-C2+USB-C3+USB-A | Max 45W  | Max 35W       | Max 15W (5V=3A) | -            |



**USB-C 1/2 (PPS) Output:**

Max PD 100W (when used alone)  
PPS mode Max 45W

**USB-C 3 (PPS) Output:**

Max PD 65W (when used alone)  
PPS mode Max 45W

**USB-A QC 3.0 Output:**

Max 30W (when used alone)



EU  
Type C



UK  
Type G



US  
Type A

# GNC-100

## GaN Charger 100W

2x USB-C PD 100W, 1x USB-C PD 65W, 1x USB-A QC 3.0



| Other Features               |  |
|------------------------------|--|
| Compliance                   | EN 55032:2015+A11:2020+A1:2020<br>EN 55035:2017+A11:2020<br>EN IEC 61000-3-2:2019+A1:2020<br>EN 61000-3-3:2013+A1:2019+A2:2021<br>EN IEC 62368-1:2020+A11:2020 |
| ROHS compliance              | Yes  |
| Output short circuit protect | On short circuit protection situation, will stop charging to protect devices   |
| Over-voltage protection      | Yes  |
| Over-current protection      | Yes  |
| Over-temperature protection  | Yes  |

| PN    | Description   | Bar Code     | EAN128 Code  | EAN14 Code                       |
|-------|---|--------------|--|----------------------------------|
| 32202 | Verbatim GNC-100 GaN Charger 100W with 2 x USB-C® PD 100W / 1 x USB-C® PD 65W / 1 x USB-A QC 3.0 (EU/UK/US) | 023942322023 | (02)00023942322023(37)10(91)892<br>(02)00023942322023(37)20(91)892 | 20023942322027<br>50023942322028 |

| Logistic Information              |                      |
|-----------------------------------|----------------------|
| Product Dimensions L x W x H      | 77.5 x 29.3 x 61.1mm |
| Product Weight                    | 226 grams            |
| Units per Pack                    | 1                    |
| Pack Dimensions L x W x H         | 110 x 47 x 131.5mm   |
| Pack Weight                       | 340 grams (approx)   |
| Units per Inner Carton            | 10                   |
| Inner Carton Dimensions L x W x H | 285 x 255 x 131mm    |
| Inner Carton Weight               | 3250 grams           |
| Units per Outer Carton            | 20                   |
| Outer Carton Dimensions L x W x H | 305 x 280 x 302mm    |
| Master Cartons Weight             | 7000                 |
| Master Cartons per Layer          | 9                    |
| Layers per Pallet                 | 3                    |
| Units per Pallet                  | 540                  |



# GNC-100

## GaN Charger 100W

2x USB-C PD 100W, 1x USB-C PD 65W, 1x USB-A QC 3.0

 **Verbatim**<sup>™</sup>

Technology you can trust



Front



Angled



EU Plug



UK Plug



US Plug



Pack content



Packaging flat



Packaging 3D

### Pack Contents:

- GaN Charger
- EU adapter
- UK adapter
- Quick Start Guide

### Warning

- INDOOR USE ONLY

For more information, please contact your key account manager

Publication date: 25-10-2023  
© 2023 Verbatim. All rights reserved.  
All brand names are registered trademarks of their respective owners.  
Unauthorized use strictly prohibited.  
Specifications are subject to change without prior notice.